(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization

International Bureau



(43) International Publication Date 30 September 2004 (30.09.2004)

PCT

(10) International Publication Number WO 2004/083592 A3

(51) International Patent Classification7: 19/16

E21B 17/00,

(21) International Application Number:

PCT/US2004/008073

(22) International Filing Date: 18 March 2004 (18.03.2004)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: 60/455,718

18 March 2003 (18.03.2003) US

(71) Applicant (for all designated States except US): EVEN-TURE GLOBAL TECHNOLOGY [US/US]; 16200 A Park Row, Houston, TX 77084 (US).


(72) Inventors; and

(75) Inventors/Applicants (for US only): BRISCO, David, Paul [US/US]; 405 Westridge Drive, Duncan, OK 73533 (US). BULLOCK, Michael, Dennis [US/GB]; The Beeches, 25 Hillhead Road, Aberdeen, AB15 9EJ (GB). WADDELL, Kevin, Karl [US/US]; 11007 Sprucedale Court, Houston, TX 77077 (US).

- (74) Agents: KICE, Warren, B. et al.; Haynes and Boone, LLP, Suite 3100, 901 Main Street, Dallas, TX 75202 (US).
- (81) Designated States (unless otherwise indicated. for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR,

[Continued on next page]

(54) Title: APPARATUS AND METHOD FOR RUNNING A RADIALLY EXPANDABLE TUBULAR MEMBER



(57) Abstract: A tubular apparatus (20) and method, according to which a first tubular member (34) is adapted to be lowered into a well bore and a second tubular member (120) is connected to the first tubular member (34). A third tubular member (102, 112) is normally connected to the first tubular member (34) and disconnected from the second tubular member (102, 112), and is adapted for movement relative to the first (34) and second tubular (120, 112) members to disconnect from the first tubular member (34) and connect to the second tubular member (102, 112).

GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations AE. AG. AL. AM. AT. AU. AZ. BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR. KZ, LC, LK, LR. LS, LT, LU, LV, MA. MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW. ARIPO patent (BW. GH. GM. KE, LS. MW. MZ, SD. SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI patent (BF. BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)
- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ,

EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

- of inventorship (Rule 4.17(iv)) for US only
- of inventorship (Rule 4.17(iv)) for US only

Published:

- with international search report
- (88) Date of publication of the international search report: 19 May 2005

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

international application No. INTERNATIONAL SEARCH REPORT PCT/US04/08073 CLASSIFICATION OF SUBJECT MATTER E21B 17/00, 19/16 IPC(7) 1667242.7,380,208 US CL According to International Patent Classification (IPC) or to both national classification and IPC FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) U.S.: 166/242.7,380,277,377,378,381,382,77.51,301.206,242.1,242.6,207,208 Discussemention searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) Please See Continuation Sheet DOCUMENTS CONSIDERED TO BE RELEVANT Relevant to claim No. Citation of document, with indication, where appropriate, of the relevant passages Cutegory * US 2003/0075337 A1 (Maguire) 24 April 2003 (24.04.2003), see Figures. 21-26,28-34 X.P.L Y,P,L 27 27 Y US 2002/0139540 A1 (Lauritzen) 03 OCtober 2002 (03.10.2002), see paragraph 0038. US 4,915,177 A (Claycomb) 10 April 1990 (10.04.1990), see Figures. 1-20 US 4,995,464 A (Walkins et al.) 26 February 1991 (26.02.1991), see Figures. 1-20 US 3,667,547 A (Ahlstone) 06 June 1972 (06.06,1972), see Figures. 1-20 US 5,566,772 A (Coone et al.) 22 October 1993 (22,10,1996), see Figures. 1-20 US 4,778,08B A (Gonzalez et al.) 18 October 1988 (18,10,1988), see Figures. 1-20 A. T US 6,516,887 B2 (Nguyen et al.) 11 February 2003 (11.02.2003), see Pigures. 1-20 Further documents are listed in the continuation of Box C. See patent family annex. fater document published after the international filing due or Special extenuites of cited documents: priority due and not in conflict with the application but sited in understand the principle or theory underlying the invention document defining the general state of the err which is not considered to -X" document of particular relevance; the claimed invention cannot be considered to involve an inventive -10 narrier application or patent published on or after the international filing step when the document is taken along document which may throw doubts on priority claim(x) or which is cited doctioned of particular relevance; the claimed invention exame emulicated to involve an inventive step when the document is combined with any or more other such documents, such to establish the publication dose of another challen or other special reason discussion referring to an aral disclosure, use, exhibition of other means document member of the same patent (apply document published prior to the international filing date but later than the Date of the actual completion of the international search Date of mailing of the international search report 04 August 2004 (04.08.2004)

Authorized office

David Bagnell

Telephone No. (703) 308-1113

Form PCT/(SA/210 (second sheet) (July 1998)

Facaimile No. (703) 305-3230

Name and mailing address of the ISA/US

Commissioner for Palents P.O. Box 1450

Mail Stop PCT. Attn: (SA/US

Alexandria, Virginia 22313-1450

PCT/US04/08073

INTERNATIONAL SEARCH REPORT

gory *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
4 ,E	US 6,732,806 B2 (Mauldin et al.) 11 May 2004 (11.05.2004), see Figures.	21-34
A.E	US 6.695,065 B2 (Simpson et al.) 24 February 2004 (24.02.2004), see Figures.	21-34
.P.L	US 6,543,552 B1 (Metcalfe et al.) 08 April 2003 (08.04.2003), see Figures.	21-34
.P.L	US 6,543,545 B1 (Chatterji et al.) 08 April 2003 (08.04,2003), see Figures.	21-34
A	US 6,325,148 B1 (Trahan et al.) 04 December 2001 (04.12.2001), see Figures.	21-34
A	US 5,785,120 A (Smalley et al.) 28 July 1998 (28.07.1998), see Figures.	21-34

Form PCT/ISA/210 (second sheet) (July 1998)

	PCT/US04/08023			
INTERNATIONAL SEARCH REPORT				
·				
	·			
Continuation of B. FIELDS SEARCHED Item 3:				
EAST				
obstruction, expander, expansion cone, expansion mandrel totation tension	ction, thread, torque, cement, resistance, restriction,			
search terms: expandable casing, expandable tubing, expandable liner, connet obstruction, expander, expansion cone, expansion mandrel, rotation, tension	ction, thread, torque, cement, resistance, restriction, , liner hanger			
obstruction, expander, expansion cone, expansion mandrel, rotation, tension	ction, thread, torque, cement, resistance, restriction, , liner hanger			
obstruction, expander, expansion cone, expansion mandrel, rotation, tension	ction, thread, torque, cement, resistance, restriction, , liner hanger			
obstruction, expander, expansion cone, expansion mandrel, rotation, tension	ction, thread, torque, cement, resistance, restriction, , liner hanger			
obstruction, expander, expansion cone, expansion mandrel, rotation, tension	ction, thread, torque, cement, resistance, restriction, , liner hanger			
obstruction, expander, expansion cone, expansion mandrel, rotation, tension	ction, thread, torque, cement, resistance, restriction, , liner hanger			
obstruction, expander, expansion cone, expansion mandrel, rotation, tension	ction, thread, torque, cement, resistance, restriction, , liner hanger			
	ction, thread, torque, cement, resistance, restriction, , liner hanger			
	ction, thread, torque, cement, resistance, restriction, , liner hanger			
	ction, thread, torque, cement, resistance, restriction, , liner hanger			
	ction, thread, torque, cement, resistance, restriction,			
	ction, thread, torque, cement, resistance, restriction, in liner hanger			
	ction, thread, torque, cement, resistance, restriction, in liner hanger			
	ction, thread, torque, cement, resistance, restriction, in liner hanger			
	ction, thread, torque, cement, resistance, restriction, in liner hanger			
	ction, thread, torque, cement, resistance, restriction, in liner hanger			
	ction, thread, torque, cement, resistance, restriction, , liner hanger			
	ction, thread, torque, cement, resistance, restriction, , liner hanger			
	ction, thread, torque, cement, resistance, restriction, , liner hanger			
	ction, thread, torque, cement, resistance, restriction, liner hanger			
	ction, thread, torque, cement, resistance, restriction, in liner hanger			
	ction, thread, torque, cement, resistance, restriction, liner hanger			
	ction, thread, torque, cement, resistance, restriction, liner hanger			
	ction, thread, torque, cement, resistance, restriction, liner hanger			
	ction, thread, torque, cement, resistance, restriction, liner hanger			

Form PCT/ISA/210 (second sheet) (July 1998)